



TODDLERS



4 Ply

Bulkie

Superquick

Silvertone

DENBY

This young man thinks FONTANA Arran Isle Jerseys are very attractive and just the thing for a chap who likes to look smart.



MATERIALS: 6 ozs **Fontana 4 ply;**
1 pair each Nos. 10 and 12
Paragon knitting needles.

MEASUREMENTS: To fit chest
measurement 24 ins; length
from shoulder 14½ ins; length
of sleeve seam 11 ins.

TENSION: 7 sts to 1 inch.

ABBREVIATIONS: See page 16.

CAUTION: Check your tension
carefully and if it does not corres-
pond with the tension given use a
larger or smaller size of needles.

Accurate results can be obtained
only by using the **Fontana** wool
recommended.

C 3 F thus:—slip the next st
on to a spare needle and leave
at front of work, k 2, then k the
st from spare needle.

C 3 B thus:—Slip the next 2
sts on to a spare needle and
leave at back of work, k 1, then
k the 2 sts from spare needle.

Twist 2 A thus:—K into the 2nd
st on left hand needle, then p
into the first st and slip both sts
off the needle together.

Twist 2 B thus:—Slip the next
st on to a spare needle and
leave at front of work, p 1, then
k the st from spare needle.

Twist 2 C thus:—P into the 2nd
st on left hand needle, then p
the first st and slip both sts off
the needle together.

THE FRONT: Using No. 12
needles cast on 90 sts and work
1½ ins in k 1, p 1 rib. Change
to No. 10 needles and work 2
foundation rows as follows:—

1st row: K 25, p 2, k 7, p 2, k

1, p 5, k 1, p 1, k 2, p 1, k 1,
p 5, k 1, p 2, k 7, p 2, k 25.

2nd row: P 25, k 2, p 7, k 2,
p 1, k 5, p 1, k 1, p 2, k 1, p 1,
k 5, p 1, k 2, p 7, k 2, p 25.

Now work in the following
patt:—

1st row: K 25, p 2, C 3 F, k 1,
C 3 B, p 2, k 1, p 4, (Twist 2
A) twice, (Twist 2 B) twice, p 4,
k 1, p 2, C 3 F, k 1, C 3 B, p 2,
k 25.

2nd row: P 25, k 2, p 7, k 2,
p 1, k 4, p 1, k 1, p 1, k 2, p 1,
k 1, p 1, k 4, p 1, k 2, p 7, k 2,
p 25.

3rd row: K 25, p 2, k 7, p 2,
k 1, p 3, (Twist 2 A) twice, p 2,
(Twist 2 B) twice, p 3, k 1, p 2,
k 7, p 2, k 25.

4th row: P 25, k 2, p 7, k 2,
p 1, k 3, p 1, k 1, p 1, k 4, p 1,
k 1, p 1, k 3, p 1, k 2, p 7, k 2,
p 25.

5th row: K 25, p 2, C 3 F, k 1,
C 3 B, p 2, k 1, p 2, (Twist 2 A)
twice, p 4, (Twist 2 B) twice, p 2,
k 1, p 2, C 3 F, k 1, C 3 B, p 2,
k 25.

6th row: P 25, k 2, p 7, k 2,
p 1, k 2, p 1, k 1, p 2, k 4, p 2,
k 1, p 1, k 2, p 1, k 2, p 7, k 2,
p 25.

7th row: K 25, p 2, k 7, p 2,
k 1, p 1, (Twist 2 A) twice, Twist
2 B, p 2, Twist 2 A, (Twist 2 B)
twice, p 1, k 1, p 2, k 7, p 2, k 25.

8th row: P 25, k 2, p 7, k 2,
(p 1, k 1) twice, p 1, (k 2, p 1) 3
times, (k 1, p 1) twice, k 2, p
7, k 2, p 25.

9th row: K 25, p 2, C 3 F, k 1,
C 3 B, p 2, k 1 (Twist 2 A)
twice, p 2, Twist 2 B, Twist 2 A,
p 2, (Twist 2 B) twice, k 1, p 2,



C 3 F, k 1, C 3 B, p 2, k 25.

10th row: P 25, k 2, p 7, k 2, p 2, k 1, p 1, k 4, Twist 2 C, k 4, p 1, k 1, p 2, k 2, p 7, k 2, p 25.

11th row: K 25, p 2, k 7, p 2, k 1, (Twist 2 B) twice, p 2, Twist 2 A, Twist 2 B, p 2, (Twist 2 A) twice, k 1, p 2, k 7, p 2, k 25.

12th row: P 25, k 2, p 7, k 2, (p 1, k 1) twice, p 1, (k 2, p 1) 3 times, (k 1, p 1) twice, k 2, p 7, k 2, p 25.

13th row: K 25, p 2, C 3 F, k 1, C 3 B, p 2, k 1, p 1, (Twist 2 B) twice, Twist 2 A, p 2, Twist 2 B, (Twist 2 A) twice, p 1, k 1, p 2, C 3 F, k 1, C 3 B, p 2, k 25.

14th row: P 25, k 2, p 7, k 2,

p 1, k 2, p 1, k 1, p 2, k 4, p 2, k 1, p 1, k 2, p 1, k 2, p 7, k 2, p 25.

15th row: K 25, p 2, k 7, p 2, k 1, p 2, (Twist 2 B) twice, p 4, (Twist 2 A) twice, p 2, k 1, p 2, k 7, p 2, k 25.

16th row: P 25, k 2, p 7, k 2, p 1, k 3, p 1, k 1, p 1, k 4, p 1, k 1, p 1, k 3, p 1, k 2, p 7, k 2, p 25.

17th row: K 25, p 2, C 3 F, k 1, C 3 B, p 2, k 1, p 3, (Twist 2 B) twice, p 2, (Twist 2 A) twice, p 3, k 1, p 2, C 3 F, k 1, C 3 B, p 2, k 25.

18th row: P 25, k 2, p 7, k 2, p 1, k 4, p 1, k 1, p 1, k 2, p 1, k 1, p 1, k 4, p 1, k 2, p 7, k 2, p 25.

19th row: K 25, p 2, k 7, p 2,

Cont. on page 12

Michele . . . "I like to wear my snug Superquick cardy! ... and Mummy says it's so easy to knit with FONTANA Wool."

Use only **PARAGON KNITTING NEEDLES**



MATERIALS: 10 oz Fontana Superquick (DK); 1 pair each of Nos. 8 and 10 Paragon knitting needles; 5 buttons.

MEASUREMENTS: To fit chest measurement 24 inches; length from shoulder 13¾ inches; length of sleeve seam 11 inches.

TENSION: 6 sts to 1 inch in width over patt on No. 8 needles.

ABBREVIATIONS: See page 16.

CAUTION: Check your tension carefully and if it does not correspond with the tension given use a larger or smaller size of needles.

Accurate results can be obtained only by using the Fontana wool recommended.

THE BACK: Using No. 10 needles cast on 71 sts and work in rib as follows:—

1st row: P 1, * k 1, p 1; rep from * to end.

2nd row: K 1, * p 1, k 1; rep from * to end.

Rep these 2 rows 3 times more. (8 rows in all.) Change to No. 8 needles and work as follows:—

1st row (rsf): P 1, * k 1, p 1; rep from * to end.

2nd row: P.

These 2 rows comprise the patt. Cont to rep them until work measures 9 ins, ending with a p row.

Shape Raglan Armholes: Keeping patt correct, cast off 4 sts at beg of the next 2 rows. Now cont as follows:—

1st row: P 1, k 1, p 1, k 2 tog

tbs, patt until 5 sts rem, k 2 tog, p 1, k 1, p 1.

2nd row: P.

Rep these 2 rows until 23 sts rem. Cast off

POCKET FACINGS (Make 2): Using No. 8 needles cast on 21 sts and work in patt as given for back until work measures 3½ ins, ending with a p row. Leave these sts on a spare needle until required.

LEFT FRONT: Using No 10 needles cast on 35 sts and work 8 rows in rib as given for back. Change to No. 8 needles and cont in patt as given for back until work measures 3½ ins, above ribbing ending with a p row.

Next row: Work in pocket:— Patt 6, slip the next 21 sts on to a safety pin and leave until required. Now patt across one of the sets of 21 sts on spare needle, patt across rem 8 sts.

Cont in patt on these sts until work measures same as for back to armholes, ending with a p row.

Shape Armhole: Cast off 4 sts at beg of the next row, patt to end.

Next row: P.

Now cont as follows:—

1st row: P 1, k 1, p 1, k 2 tog tbs, patt to end.

2nd row: P.

Cont to rep these 2 rows until 16 sts rem, ending with a 1st row.

Shape Neck: Cast off 2 sts at beg of the next row, p to end. Still shaping at armhole edge as before, dec 1 st at neck edge on every row until 5 sts rem.

Next row: P 1, k 1, p 3 tog.

Next row: P 2 tog, p 1.



Next row: P 2 tog and fasten off.

RIGHT FRONT: Work as given for Left Front until piece measures same as for back to armholes, ending with a right side row, working for pocket on this side thus:—

Patt 8, slip next 21 sts on to safety pin. Now patt across 21 sts from spare needle, patt 6.

Shape Armhole: Cast off 4 sts at beg of the next row, p to end. Now cont as follows:—

1st row: Patt until 5 sts rem, k 2 tog, p 1, k 1, p 1.

2nd row: P.

Cont to rep these 2 rows until 16 sts rem, ending with a p row.

Shape Neck: Cast off 2 sts at beg of the next row, patt until 5 sts rem, k 2 tog, p 1, k 1, p 1.

Still shaping at armhole edge, shape for neck by dec 1 st at this edge on every row until 6 sts rem, ending with a p row.

Next row: K 3 tog, p 1, k 1, p 1.

Next row: P 2, p 2 tog.

Next row: K 2 tog, p 1.

Next row: P 2 tog and fasten off.

SLEEVES: Using No. 10 needles cast on 39 sts and work $1\frac{1}{2}$ ins in rib as given for back, ending with a 2nd rib row. Change to No. 8 needles and cont in patt as given for back. Keeping patt correct, inc 1 st at both ends of the 3rd and every following 6th row until there are 55 sts on the needle. Cont straight until sleeve measures 11

Cont. on page 13

Gillian . . . *Gillian is playing "Mother" and modelling a charming little FONTANA Fleknit Cardigan.*



MATERIALS: 6 oz Fontana Fleknit; or 5 oz Fontana 4 ply; 1 pair each Nos. 10 and 12 Paragon knitting needles; 5 buttons

MEASUREMENTS: To fit chest measurement 24 inches; length from shoulder, 13½ inches; length of sleeve seam 10½ inches.

TENSION: 7 sts and 9 rows to 1 inch.

ABBREVIATIONS: See page 16.

CAUTION: Check your tension carefully and if it does not correspond with the tension given use a larger or smaller size of needles. Accurate results can be obtained only by using the Fontana wool recommended.

THE BACK: Using No. 12 needles cast on 84 sts and work 1 inch in k 1, p 1 rib. Change to No. 10 needles and cont in stst until work measures 8 ins, ending with a p row

Shape Raglan Armholes: Cast off 3 sts at beg of the next 2 rows. Now work as follows:—

1st row: K 2, k 2 tog tbs, k until 4 sts rem, k 2 tog, k 2

2nd row: K 2, p until 2 sts rem, k 2

Cont to rep these 2 rows until 26 sts rem. Cast off.

LEFT FRONT: Using No. 12 needles cast on 38 sts and work 1 inch in k 1, p 1 rib. Change to No. 10 needles and cont in stst until work measures 8 ins, ending with a p row

Shape Armhole and Front Slope: Cast off 3 sts at beg of the next row, k until 2 sts rem, k 2 tog.

Next row: P.

Now work as follows:—

1st row: K 2, k 2 tog tbs, k to end.

2nd row: P until 2 sts rem, k 2. Rep these 2 rows once more.

5th row: K 2, k 2 tog tbs, k until 2 sts rem, k 2 tog.

6th row: As 2nd row.

Cont to rep these 6 rows until 10 sts rem. Front slope shaping is now completed. Cont to dec at armhole edge as before on every alternate row until 3 sts rem.

Next row: P 1, k 2.

Next row: K 1, k 2 tog.

Next row: K 2.

Next row: K 2 tog and fasten off.

RIGHT FRONT: Work as given for Left Front until piece measures 8 ins, ending with a k row.

Shape Armhole and Front Slope: Cast off 3 sts at beg of the next row, p until 2 sts rem, p 2 tog.

Now cont as follows:—

1st row: K until 4 sts rem, k 2 tog, k 2.

2nd row: K 2, p to end.

Rep these 2 rows once more, then the 1st row once again.

6th row: K 2, p until 2 sts rem, p 2 tog.

Cont to rep these 6 rows until 10 sts rem, then dec at armhole edge only on every alternate row until 2 sts rem, work 2 tog and fasten off.

SLEEVES: Using No. 12 needles cast on 42 sts and work 1½ ins in k 1, p 1 rib, inc into every 10th st across the last rib row. (46sts.) Change to No. 10 needles and



cont in stst inc 1 st at both ends of the 7th and every following 8th row until there are 64 sts on the needle. Cont straight until sleeve measures $10\frac{1}{2}$ ins, or length required, ending with a p row.

Shape Top: Cast off 3 sts at beg of the next 2 rows. Now work as follows:—

1st row: K 2, k 2 tog tbs, k until 4 sts rem, k 2 tog, k 2.

2nd row: K 2, p until 2 sts rem, k 2.

Cont to rep these 2 rows until 6 sts rem. Cast off.

TO MAKE UP: Press work with a warm iron over a damp cloth avoiding ribbings. Sew sleeves neatly into raglan armholes, then join side and sleeve seams.

Front Border: First mark the

position of 5 buttonholes on the Right Front with pins, arranging them so that the first one comes $\frac{1}{2}$ inch from lower edge and the last one immediately before front slope shaping, the rest to come at evenly spaced intervals between. Using No. 12 needles cast on 12 sts and work in garter st making buttonholes to correspond with pins thus:—K 5, cast off 2, k 5. On the following row cast on 2 sts above those cast off. When the buttonholes have been completed, cont in garter st until border is long enough to fit along front and back neck edges. Cast off. Join neatly to front and back neck edges, buttonhole portion to Right Front. Press all seams. Sew on buttons.

END

Denise . . .



MATERIALS: Fontana Bulkie 18 ozs (9 skeins of 2 oz each), 1 pair each of Nos. 3 and 5 Paragon knitting needles.

MEASUREMENTS: To fit chest measurement 24 ins; length from shoulder 14 ins; length of sleeve seam 12 ins.

TENSION: $3\frac{1}{2}$ sts to 1 inch.

ABBREVIATIONS: See page 16.

CAUTION: Check your tension carefully and if it does not correspond with the tension given use a larger or smaller size of needles. Accurate results can be obtained only by using the Fontana wool recommended.

Twist A thus:—k into the front of the 2nd st on left hand needle, then k into the first st and slip both sts off the needle together.

Twist B thus:—K into the back of the 2nd st on left hand needle, then k into the first st and slip both sts off the needle together.

BACK: Using No. 5 needles cast on 50 sts and work 6 rows in k 1, p 1 rib, inc 1 st at the end of the last rib row (51 sts). Change to No. 3 needles and work in the following patt:—

1st row: K 3, * (p 1, Twist A, Twist B) twice, p 1, k 6; rep from * ending with k 3, instead of k 6.

2nd row: K 4, * p 4, k 1, p 4, k 8; rep from * ending with k 4, instead of k 8.

3rd row: K 3, * (p 1, Twist B, Twist A) twice, p 1, k 6; rep from * ending with k 3, instead of k 6.

Cont. on page 14



* From thicker than thick Bu
isn't a more friendly wool



CAMERON . . .



MATERIALS: 8 ozs **Fontana** 4-ply **Wool** in Main Shade; 3 ounces of the same wool in Contrast; 1 pair each Nos. 10 and 12 **Paragon** needles; 3 small buttons.

MEASUREMENTS: Jumper — Chest, 24 ins; shoulder to lower edge, 15 ins; sleeve seam, 13½ ins.

TENSION: 6 sts to 1 inch.

ABBREVIATIONS: See page 16.

THE BACK: Using the C wool and No. 12 needles, cast on 80 sts and work 2½ ins in k 1, p 1 rib. Change to No. 10 needles, M wool, and the following pattern:—

1st row: * Slip 1, k 3. Rep from * to end.

2nd row: * P 3, sl 1. Rep from * to end.

3rd row: K.

4th row: P.

Change back to the C wool and rep these 4 rows.

These 8 rows complete the patt. Cont to rep them until the work measures 10 ins from the cast on edge.

Shape Armholes: Cast off 5 sts at the beg of the next 2 rows, then dec 1 st both ends of every alternate row until 62 sts remain. Cont on these sts without further shaping until the work measures 15 ins from the beg.

Shape Shoulders: Cast off 7 sts at the beg of every row 6 times. Cast off remainder.

THE FRONT: Work exactly as given for the Back until the armhole measures 3 ins.

*... like to a soft, warm 4 ply there
than FONTANA.*

ROSS

"I'm sure you will know a small boy who would love a Polo Neck Jersey like mine," says Ross.

Use only **PARAGON KNITTING NEEDLES**



MATERIALS: 7 oz **Fontana Super-quick** (DK); 1 pair each of Nos. 8 and 10 **Paragon** knitting needles.

MEASUREMENTS: To fit chest measurement 25 inches; length from shoulder 14½ inches; length of sleeve seam 12 inches.

TENSION: 5½ sts to 1 inch.

ABBREVIATIONS: See page 16.

CAUTION: Check your tension carefully and if it does not correspond with the tension given use a larger or smaller size of needles.

Accurate results can be obtained only by using the **Fontana** wool recommended.

THE BACK: Using No. 10 needles cast on 73 sts and work in the following patt:—

1st row: * P 4, k 2; rep from * to last st, p 1.

2nd row: K 1, * p 2, k 4; rep from * to end.

3rd row: As 1st row.

4th row: As 2nd row.

5th row: P 1, * k 2, p 4; rep from * to end.

6th row: * K 4, p 2; rep from * to last st, k 1.

7th row: As 5th row.

8th row: As 6th row.

These 8 rows comprise the patt. Rep them once more, then change to No. 8 needles and cont to rep them until work measures 10 ins from commencement.

Shape Armholes (rsf): Keep ing patt correct, cast off 3 sts at

beg of the next 2 rows, then dec 1 st at both ends of the following 6 rows. (55 sts.) Cont straight until armholes measure 4½ ins on the straight.

Shape Shoulders: Cast off 8 sts at beg of the next 4 rows. Leave rem 23 sts on a stitch holder until required.

THE FRONT: Work as given for the back until the armhole shapings have been completed and armholes measure 2 ins on the straight.

Shape Neck (rsf): Patt across 23 sts, turn and cont on these sts, leaving rem sts until required. Keeping patt correct, dec 1 st at neck edge on every row until 16 sts rem, then cont without shaping until armhole measures same as for back to shoulder, ending at armhole edge.

Shape Shoulder: Cast off 8 sts from armhole edge at beg of the next 2 alternate rows.

With rsf, slip the centre 9 sts on to a safety pin and leave for front neck until required. Rejoin wool at neck edge to rem 23 sts and patt to end. Now work this side to correspond with side already completed.

SLEEVES (Both alike): Using No 10 needles cast on 42 sts and work 2 ins in k 1, p 1 rib, inc 1 st at the end of the last rib row. (43 sts.) Change to No 8 needles and cont in patt as given for back. Keeping patt correct, inc 1 st at both ends of the 7th and every following 8th row until there are 51 sts on the the needle. Cont



straight until sleeve measures 12 ins, or length required.

Shape Top (rsf); Cast off 4 sts at beg of the next 2 rows, then dec 1 st at both ends of every row until 15 sts rem. Cast off, working 2 tog at both ends of casting off row.

TO MAKE UP: Join left shoulder seam neatly. With rsf and using No. 10 needles, k across the 23 sts on spare needle at back neck. Now, using a 2nd needle,

pick up and k 18 sts around neck to the 9 sts on safety pin at front neck, k across these 9 sts. Now pick up and k 18 sts along opposite side of neck. (68 sts.) Work $2\frac{1}{2}$ ins in k 1, p 1 rib on these sts, then change to No. 8 needles and cont until ribbing measures $5\frac{1}{2}$ ins. Cast off loosely in rib. Join right shoulder seam and collar neatly. Sew sleeves into armholes. Join side and sleeve seams. Press seams.

END

DENBY

Cont. from page 3

k 1, p 4, (Twist 2 B) twice, (Twist 2 A) twice, p 4, k 1, p 2, k 7, k 25.

20th row: P 25, k 2, p 7, k 2, p 1, k 5, p 1, k 1, sl the next st on to a spare needle and leave at front, p 1, then p the st from spare needle, k 1, p 1, k 5, p 1, k 2, p 7, k 2, p 25.

These 20 rows comprise the patt. Cont to rep them until work measures $8\frac{1}{2}$ ins, ending with a wrong side row.

Shape Raglan Armholes: Keeping centre patt panel correct, cast off 2 sts at beg of the next 2 rows, then dec 1 st at both ends of every right side row until 56 sts rem.

Shape Neck. Next row (Wrong side of work): Work across 22 sts, cast off the next 12 sts loosely, work across rem 22 sts. Cont on the last set of 22 sts as follows:—

1st row: Work 2 tog at armhole edge, patt to end.

2nd row: Work 2 tog at neck edge, work to end.

Rep these 2 rows 7 times more. (6 sts). Cont to work 2 tog at armhole edge only on every alternate row until 2 sts rem, work 2 tog and fasten off. With rsf, rejoin wool at neck edge to rem 22 sts and work to end.

Now work as follows:—

1st row: Work until 2 sts rem at neck edge, work 2 tog.

2nd row: Work until 2 sts rem at armhole edge, work 2 tog.

Rep these 2 rows 7 times more (6 sts). Cont to work 2 tog at armhole edge only on every alternate row until 2 sts rem. Work 2 tog and fasten off.

BACK: Using No. 12 needles cast on 86 sts and work $1\frac{1}{2}$ ins in k 1, p 1 rib. Change to No. 10 needles and cont in stst until

back measures same as for front to armholes, ending with a p row.

Shape Raglan Armholes: Cast off 2 sts at beg of the next 2 rows, then k 2 tog at both ends of every k row until 28 sts rem. Cast off loosely.

SLEEVES (Both alike): Using No. 12 needles cast on 48 sts and work 2 ins in k 1, p 1 rib. Change to No. 10 needles and cont in stst, inc 1 st at both ends of the 3rd and every following 6th row until there are 70 sts on the needle. Cont straight until sleeve measures 11 ins or length required ending with a p row.

Shape Top: Cast off 2 sts at beg of the next 2 rows, then k 2 tog at both ends of every k row until 14 sts rem, ending with a p row.

Next row: (K 2 tog) twice, k until 4 sts rem, (k 2 tog) twice. Cast off rem 10 sts.

COLLAR: Using No. 12 needles cast on 247 sts and work in k 1, p 1 rib, beg and ending the first row with k 1 as follows:—

1st row: Rib 62, k 2 tog, p 2 tog, rib 115, p 2 tog, k 2 tog, rib 62.

2nd row: Rib 61, k 2 tog, p 2 tog, rib 113, p 2 tog, k 2 tog, rib 61.

3rd row: P 2 tog, rib 58, k 2 tog, p 2 tog, rib 111, p 2 tog, k 2 tog, rib 58, p 2 tog.

4th row: Rib 58, k 2 tog, p 2 tog, rib 109, p 2 tog, k 2 tog, rib 58.

5th row: Rib 57, k 2 tog, p 2 tog, rib 107, p 2 tog, k 2 tog, rib 57.

6th row: Rib 56, k 2 tog, p 2 tog, rib 105, p 2 tog, k 2 tog, rib 56.

7th row: K 2 tog, rib 53, k 2 tog, p 2 tog, rib 103, p 2 tog, k 2 tog, rib 53, k 2 tog.

8th row: Rib 53, k 2 tog, p 2

tog, rib 101, p 2 tog, k 2 tog, rib 53.

Cont as set, dec on each side of mitre on every row and working 2 tog at beg and end of every 4th row (as before) until the row rib 23, k 2 tog, p 2 tog, rib 53, p 2 tog, k 2 tog, rib 23

has been worked. Cast off.

TO MAKE UP: Sew raglan sleeves into armholes using a narrow back stitch seam. Join side and sleeve seams. Sew collar to neck. Press work with a warm iron over a damp cloth avoiding ribbings. **END**

MICHELE

Cont. from page 5
ins, or length required, ending with a p row.

Shape Top: Work exactly as given for shaping raglan armholes on the back until 9 sts rem, ending with a p row.

Next row: P 1, k 1, p 1, k 3 tog tbs, p 1, k 1, p 1. Cast off.

POCKET TOPS: Using No. 10 needles and with rsf, rejoin wool to the 21 sts left on safety pin for pocket tops and work 6 rows in k 1, p 1 rib, beg and ending right side rows with k 1. Cast off loosely in rib.

TO MAKE UP: Press work on the wrong side with a warm iron over a damp cloth. Sew raglan sleeves neatly into armholes. Join side and sleeve seams. Stitch down pocket facings neatly to the wrong side, then join open side edges of pocket tops.

FRONT BORDERS: NOTE: If the jacket is for a girl, work the Left Border first and if for a boy, work the Right Border first. Using No. 10 needles cast on 8 sts and work in k 1, p 1 rib until border is long enough to fit along front edge to neck. Cast off. Join neatly to left side for girl and

right side for boy.

Now mark the position of 5 buttons on the Right Front for a boy and Left Front for a girl with pins, arranging them so that the first one comes $\frac{1}{2}$ inch from lower edge and the last one $\frac{1}{2}$ in before neck edge. The rest to come at evenly spaced intervals between.

Work the opposite border to correspond with side already completed, making buttonholes to correspond with pins thus:—rib 3, cast off 2, rib to end. On the following row cast on 2 sts above those cast off. Join border neatly to front edge.

COLLAR: Using No. 8 needles cast on 61 sts and work 6 rows in k 1, p 1, rib, beg and ending 1st row with k 1.

Next row: Rib 5, * rib 3 times into next st, rib 4; rep from * ending with rib 5, instead of rib 4. (85 sts.)

Cont in rib on these sts until collar measures 4 ins. Cast off loosely in rib.

Sew cast on edge of collar neatly to neck from the centre of one front border to the centre of the opposite border. Press seams. Sew on buttons. **END**

Copyright—Reproduction in any form is forbidden.

Published and Distributed by

PARAGON ALLIANCE LIMITED

DUNEDIN, TIMARU, WELLINGTON AUCKLAND. Also in South Africa and Australia

First Printing

DENISE

Cont. from page 8

4th row: As 2nd row.

These 4 rows comprise the patt. Cont to rep them until work measures 8 ins, ending with a 2nd or 4th row.

Shape Armholes: Keeping patt correct, cast off 2 sts at beg of the next 2 rows. Now dec 1 st at both ends of the next and every following right side row until 15 sts rem. Cast off.

THE FRONT: Work as given for the back to commencement of armhole shapings.

Shape Armholes: Keeping patt correct, cast off 2 sts at beg of the next 2 rows, then dec 1 st at both ends of the next (right side) row.

Shape Neck: Next row—Patt 20, cast off 5, patt 20. Cont on the last 20 sts as follows:—

1st row: Work 2 tog at armhole edge, patt to end.

2nd row: Patt to end.

3rd row: As 1st row.

4th row: As 2nd row.

5th row: Work 2 tog at armhole edge, patt until 2 sts rem at neck edge, work 2 tog.

6th row: As 2nd row.

Rep these 6 rows twice more (8 sts). Neck shaping completed. Now cont to dec at armhole edge as before on every right side row until 2 sts rem. Work 2 tog and fasten off.

With rsf, rejoin wool at neck edge to rem sts and work as follows:—

1st row: Patt until 2 sts rem at armhole edge, work 2 tog.

2nd row: Patt to end.

3rd row: As 1st row.

4th row: As 2nd row.

5th row: Work 2 tog at neck edge, patt until 2 sts rem at armhole edge, work 2 tog.

6th row: As 2nd row.

Rep these 6 rows twice more (8 sts). Neck shaping completed. Now cont to dec at armhole edge as before on every right side row until 2 sts rem. Work 2 tog and fasten off.

SLEEVES (both alike): Using No. 5 needles cast on 30 sts and work $2\frac{1}{2}$ ins in k 1, p 1 rib, inc into every 7th st on the last rib row (34 sts). Change to No. 3 needles and work in patt as given for back. Work 2 complete patts, then inc 1 st at both ends of the next and every following 6th row until there are 40 sts on the needle. Cont straight until sleeve measures 12 ins or required length.

Shape Top (rsf): Cast off 2 sts at beg of the next 2 rows, then work as follows:—

1st row: Patt to end.

2nd row: Patt to end.

3rd row: Work 2 tog, patt until 2 sts rem, work 2 tog.

4th row: Patt to end.

Rep these 4 rows once more (32 sts). Now dec 1 st at both ends of every right side row until 8 sts rem. Cast off.

TO MAKE UP: Press work on the wrong side with a warm iron over a damp cloth. Sew raglan sleeves into armholes neatly using a narrow back stitch seam. Join side and sleeve seams. Press seams.

NECK BAND AND COLLAR: Using No. 5 needles cast on 6 sts for neck band and work $3\frac{1}{2}$ ins in k 1, p 1 rib.

Next row: Cast on 18 sts for collar, rib to end.

Cont in rib on these sts until collar measures $4\frac{1}{4}$ ins from cast on edge, ending at outside edge of collar. Now shape for collar as follows:—

Cont. on page 16



The Luxury Look

Fontana

**WOOL and
KNITTING BOOKS**

HOW TO KNIT FOR YOUR
FAVOURITE MAN.

Nothing but the BEST will
do of course . . . so nat-
urally you will think first
of FONTANA . . . FON-
TANA Books and Wool are
always first with up-to-the-
minute Patterns and High
Quality Wool.

*

Take FONTANA Fashion Knit
No. 1504 . . . It contains 8
Practical . . . Attractive . . .
Newly designed garments in 5
Different FONTANA Wools.

These He-Men jerseys appear in
FONTANA Fashion Knit 1504.

Distributed by Paragon Alliance Ltd.
Bank St., Timaru
FW 33



DENISE

Cont. from page 14

1st row: Rib across the 18 collar sts, turn.

2nd row: Sl 1 purlwise, rib to end.

3rd, 4th, 5th and 6th rows: Rib to end.

Rep these 6 rows 4 times more, then work the 1st and 2nd rows once again. Cont in rib until collar measures $4\frac{1}{4}$ ins from last 2 shaping rows, ending at outside edge of collar.

Cast off the 18 collar sts and work 5 rows in rib on rem sts.

Next row: Make buttonhole, rib 2, wind the wool twice around the needle, k 2 tog, rib to end. On the following row drop one made loop and k the other. Cont on these sts until band is $3\frac{1}{2}$ ins. Cast off.

Sew neck neatly around neck edge overlapping right side of neck band over left at centre front edge for a girl and left side over right for a boy. **END**

CAMERON

Cont. from page 9

Shape Neck and Shoulder (right side facing): Work over 26 sts in patt, cast off the next 10 sts, work in patt to end of row. Now cont on the right shoulder, dec 1 st at neck edge every alternate row until 21 sts remain. Cont on these sts until the armhole measures the same as the back to the shoulder. Shape shoulder by casting off 7 sts at arm edge every alternate row 3 times. Rejoin wool at neck edge and work the left shoulder to match.

THE NECKBAND: Join up the right shoulder. Holding the work right side facing and using the No. 12 needles and C wool, pick up and k 76 around the neck. Work 1 inch in k 1, p 1 rib. Cast off loosely in rib.

THE SLEEVES: Using the No. 12 needles and C wool, cast on 40 sts and work 2 ins in k 1, p 1 rib. Change to No. 10 needles and M wool and cont in the main patt, inc 1 st at both ends of every 6th row until there are 72 sts on the needle. Work straight on these sts until the work measures $13\frac{1}{2}$ ins from commencement.

Shape Top: Dec 1 st at both ends of every row until 20 sts remain. Cast off.

TO MAKE UP: Sew up left shoulder $\frac{1}{2}$ inch from armhole edge. Sew sleeves into armholes. Press the work with a hot iron over a damp cloth. Sew up side and sleeve seams. Press seams. Work a row of double crochet around neck opening, making 3 small chain loops on the front edge. Sew on buttons to correspond with loops. **END**

ABBREVIATIONS USED THROUGHOUT THIS BOOK.

K, knit **p**, purl; **sts**, stitches; **inc**, increase; **dec**, decrease; **stst**, stocking stitch (right side k, wrong side p); **rep**, repeat; **con**, continues (ing); **rem**, remains (ing); **beg**, beginning; **ins**, inches; **patt**, pattern; **tog**, together; **rsf**, right side facing.

✻ Any knitter can make it

✻ ✻ Simple for average knitter

✻ ✻ ✻ More complicated but not difficult